Journal of Applied Microbiology

Edited by
D.E.S. Stewart-Tull, I. M. Feavers, G. R. Gibson
and L. Anne Glover

Volume 86, 1999

Copyright © 1999 by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

ISSN 1364-5072

Published by
Blackwell Science Ltd
OXFORD LONDON EDINBURGH BOSTON
MELBOURNE BERLIN VIENNA

Printed in Great Britain

Contents

Volume 86, Number 1, January 1999

1 Editorial

3 Instructions for authors

7 Purification and properties of mercuric reductase from *Azotobacter chroococcum S. Ghosh, P.C. Sadhukhan, J. Chaudhuri, D.K. Ghosh & A. Mandal*

13 Antibiosis plays a role in the context of direct interaction during antagonism of *Paenibacillus polymyxa* towards *Fusarium oxysporum J. Dijksterhuis, M. Sanders, L.G.M. Gorris & E.J. Smid*

22 The effect of diet on aerobic bacterial flora associated with intestine of Arctic charr (*Salvelinus alpinus* L.) *E. Ringo & R.E. Olsen*

29 New types of antimicrobial compounds produced by *Lactobacillus plantarum M.-L. Niku-Paavola, A. Laitila, T. Mattila-Sandholm & A. Haikara*

36 Stimulation of nitrogen fixation and induction of flavonoid-like compounds by rhizobacteria *N. Parmar & K.R. Dadarwal*

45 Purification, amino acid sequence and mode of action of bifidocin B produced by *Bifidobacterium bifidum* NCFB 1454 *Z. Yildirim, D.K. Winters & M.G. Johnson*

55 A thermotolerant and high acetic acid-producing bacterium *Acetobacter* sp. I14-2 *S.-F. Lu, F.-L. Lee & H.-K. Chen*

63 Campylobacter infections in fattening pigs; excretion pattern and genetic diversity *M.J.B.M. Weijtens, R.D. Reinders, H.A.P. Urlings & J. Van der Plas*

71 Molecular differences distinguish clonal lineages within East African populations of *Fusarium oxysporum* f.sp. *cubense E.M. Lodwig, P.D. Bridge, M.A. Rutherford, J. Kung'u & P. Jeffries*

78 Identification of *Rhizobium leguminosarum* and *Rhizobium* sp. (*Cicer*) strains using a custom Fatty Acid Methyl Ester (FAME) profile library *K.E. Dunfield, L.J.C. Xavier & J.J. Germida*

87 *Saccharomyces cerevisiae* viability is strongly dependant on rehydration kinetics and the temperature of dried cells *I. Poirier, P.-A. Maréchal, S. Richard & P. Gervais*

93 Amylase and 16S rRNA genes from a hyperthermophilic archaebacterium *R.A. Jones, L.S. Jermiin, S. Easteal, B.K.C. Patel & I.R. Beacham*

108 Effect of inoculum preparation and formulation on survival and biocontrol efficacy of *Pseudomonas fluorescens* F113 *Y. Moënne-Loccoz, M. Naughton, P. Higgins, J. Powell, B. O'Connor & F. O'Gara*

117 Influence of oxygen availability on physiology, verocytotoxin expression and adherence of *Escherichia coli* O157 *B.W. James & C.W. Keevil*

125 Low incidence *of Vibrio vulnificus* among *Vibrio* isolates from sea water and shellfish of the western Mediterranean coast *C.R. Arias, M.C. Macián, R. Aznar, E. Garay & M.J. Pujalte*

135 Influence of lactoferrin feeding and injection against systemic staphylococcal infections in mice *R.S. Bhimani, Y. Vendrov & P. Furmanski*

145 Purification and characterization of an endo-polygalacturonase from *Verticillium albo-atrum L.-K. Huang & R.R. Mahoney*

157 Weak-acid preservatives: modelling microbial inhibition and response *R.J. Lambert & M. Stratford*

165 *Note:* Linear alkylbenzenesulphonate (LAS) bioavailable to anaerobic bacteria as a source of sulphur *K. Denger & A.M. Cook*

169 *Note:* Susceptibility to chlorine of *Aeromonas hydrophila* strains *S. Massa, R. Armuzzi, M. Tosques, F. Canganella & L.D. Trovatelli*

Volume 86, Number 2, February 1999

175 Partial characterization and cloning of leuconocin J, a bacteriocin produced by *Leuconostoc* sp. J2 isolated from the Korean fermented vegetable Kimchi *H.-J. Choi, H.-S. Lee, S. Her, D.-H. Oh & S.-S. Yoon*

182 Production of lysozyme-enriched biomass from cheese industry by-products *C. Maullu, G. Lampis, T. Basile, A. Ingianni, G.M. Rossolini & R. Pompei*

187 DNA probes specific for *Aeromonas hydrophila* (HG1) *H.J. Oakey, L.F. Gibson & A.M. George*

194 Use of a modified Robbins device to directly compare the adhesion of *Staphylococcus epidermidis* RP62A to surfaces *C.J Linton, A. Sherriff & M.R. Millar*

203 Tolerance of acid-adapted and non-adapted *Escherichia coli* 0157:H7 cells to reduced pH as affected by type of acidulant *Y. Deng, J.-H. Ryu & L.R. Beuchat*

211 Antimicrobial activity of a porcine myeloperoxidase against plant pathogenic bacteria and fungi *Y. Yang & E.J. Anderson*

221 Study of the micro-organisms associated with the fermented bread (khamir) produced from sorghum in Gizan region, Saudi Arabia *M.A.A. Gassem*

226 A method for the preparation of *Tetrahymena thermophila* phospholipase A$_1$ suitable for large-scale production *A. Guberman, M. Hartmann, A. Tiedtke, J. Florin-Christensen & M. Florin-Christensen*

231 Rapid enumeration of *Escherichia coli* in oysters by a quantitative PCR-ELISA *I. González, T. García, A. Fernández, B. Sanz, P.E. Hernández & R. Martin*

237 Role of the 25 kDa major outer membrane protein of *Legionella pneumophila* in attachment to U-937 cells and its potential as a virulence factor for chick embryos *C. Krinos, A.S. High & F.G. Rodgers*

245 The effect of sucrose or starch-based diet on short-chain fatty acids and faecal microflora in rats *A. Cresci, C. Orpianesi, S. Silvi, V. Mastrandrea & P. Dolara*

251 Inhibition of *Listeria monocytogenes* in cottage cheese manufactured with a lacticin 3147-producing starter culture *O. McAuliffe, C. Hill & R.P. Ross*

257 Bacteriocin production by *Pseudomonas syringae* pv. *ciccaronei* NCPPB2355. Isolation and partial characterization of the antimicrobial compound *P. Lavermicocca, S.L. Lonigro, A. Evidente & A. Andolfi*

266 The certification of a reference material for the evaluation of methods for the enumeration of *Bacillus cereus P.H. in 't Veld, A.H. Havelaar & N.G.W.M. van Strijp-Lockefeer*

275 Electrotransformation of industrial strains of *Streptococcus thermophilus T.F. O'Sullivan & G.F. Fitzgerald*

284 Characterization of *Saccharomyces cerevisiae* strains from spontaneously fermented maize dough by profiles of assimilation, chromosome polymorphism, PCR and *MAL* genotyping *A.E. Hayford & L. Jespersen*

295 Characterization of *rpoS* alleles in *Escherichia coli* O157:H7 and in other *E. coli* serotypes *A. Ferreira, L. Rendano, M. Wiedmann & K.J. Boor*

302 The linamarase of *Mucor circinelloides* LU M40 and its detoxifying activity on cassava *M. Petruccioli, L. Brimer, A.R. Cicalini & F. Federici*

311 Inhibition of *Bacillus licheniformis* spore growth in milk by nisin, monolaurin, and pH combinations *M. Mansour, D. Amri, A. Bouttefroy, M. Linder & J.B. Milliere*

325 Properties of an L-glutamate-induced acid tolerance response which involves the functioning of extracellular induction components *R.J. Rowbury, T.J. Humphrey & M. Goodson*

331 Protective effect of bifidus milk on the experimental infection with *Salmonella enteritidis* subsp. *typhimurium* in conventional and gnotobiotic mice *A.M. Silva, E.A. Bambirra, A.L. Oliveira, P.P. Souza, D.A. Gomes, E.C. Vieira & J.R. Nicoli*

337 Clonality of *Vibrio anguillarum* strains isolated from the Scandinavian countries, Sweden, Finland and Denmark *K. Pedersen, I. Kühn, J. Seppänen, A. Hellström, T. Tiainen, E. Rimaila-Pärnänen & J.L. Larsen*

348 *Note:* Physiological aspects of the growth of the lactic acid bacterium *Tetragenococcus halophila* during Indonesian soy sauce *(kecap)* production *W.F.M. Röling, A.B. Prasetyo, A.H. Stouthamer & H.W. van Verseveld*

353 *Note:* Evaluation of selective media for the enumeration of *Bifidobacterium* sp. in milk *J.F. Payne, A.E.J. Morris & P. Beers*

359 Erratum

Volume 86, Number 3, March 1999

361 A REVIEW Serotyping of *Campylobacter jejuni* based on heat-stable antigens: relevance, molecular basis and implications in pathogenesis *A. P. Moran & J.L. Penner*

378 The *qacG* gene on plasmid pST94 confers resistance to quaternary ammonium compounds in staphylococci isolated from the food industry *E. Heir, G. Sundheim & A.L. Holck*

389 Fermentation extract effects on the morphology and metabolism of the rumen fungus *Neocallimastix frontalis* EB188 *J.S. Chang, E.M. Harper & R.E. Calza*

399 Production of a nisin Z/pediocin mixture by pH-controlled mixed-strain batch cultures in supplemented whey permeate *F. Goulhen, J. Meghrous & C. Lacroix*

407 The survival characteristics of a non-toxigenic strain of *Escherichia coli* O157:H7 *D.J. Bolton, C.M. Byrne, J.J. Sheridan, D.A. McDowell & I.S. Blair*

412 Isolation and characterization of two glycerol-fermenting clostridial strains from a pilot scale anaerobic digester treating high lipid-content slaughterhouse waste *G.N. Jarvis, C. Strömpl, E.R.B. Moore & J.H. Thiele*

421 Diversity of bacterial strains degrading hexadecane in relation to the mode of substrate uptake *M. Bouchez-Naïtali, H. Rakatozafy, R. Marchal, J.-Y. Leveau & J.-P. Vandecasteele*

429 Effect of elevated oxygen and carbon dioxide on the surface growth of vegetable-associated micro-organisms *A. Amanatidou, E.J. Smid & L.G.M. Gorris*

439 Growth and exopolysaccharide production by *Azotobacter vinelandii* in media containing phenolic acids *J. Moreno, C. Vargas-García, M.J. López & G. Sánchez-Serrano*

446 Influence of organic matter, cations and surfactants on the antimicrobial activity of *Melaleuca alternifolia* (tea tree) oil *in vitro K.A. Hammer, C.F. Carson & T.V. Riley*

453 X-ray microanalysis of chlorine and phosphorus content in biguanide-treated *Acanthamoeba castellanii W. Khunkitti, A.C. Hann, D. Lloyd, J.R. Furr & A.D. Russell*

460 Genotypic and phenotypic relationships in *Burkholderia cepacia* isolated from cystic fibrosis patients and the environment *P. Wigley & N.F. Burton*

469 Effect of osmotic, alkaline, acid or thermal stresses on the growth and inhibition of *Listeria monocytogenes C. Vasseur, L. Baverel, M. Hébraud & J. Labadie*

477 Unique activity associated with non-insecticidal *Bacillus thuringiensis* parasporal inclusions: *in vitro* cell-killing action on human cancer cells *E. Mizuki, M. Ohba, T. Akao, S. Yamashita, H. Saitoh & Y.S. Park*

487 Diversity of *Ruminococcus* strains: a survey of genetic polymorphisms and plant digestibility *D.O. Krause, R.J. Bunch, W.J.M. Smith & C.S. McSweeney*

496 Rapid enumeration of physiologically active bacteria in purified water used in the pharmaceutical manufacturing process *M. Kawai, N. Yamaguchi & M. Nasu*

505 Differentiation between brewing and non-brewing yeasts using a combination of PCR and RFLP *H. Yamagishi, Y. Otsuta, W. Funahashi, T. Ogata & K. Sakai*

514 Genetic diversity among dairy lactococcal strains investigated by polymerase chain reaction with three arbitrary primers *I. Mangin, D. Corroler, A. Reinhardt & M. Gueguen*

521 Resistant starch modifies gut microflora and microbial metabolism in human flora-associated rats inoculated with faeces from Italian and UK donors *S. Silvi, C.J. Rumney, A. Cresci & I.R. Rowland*

531 Intermittent shedding of thermophilic campylobacters by sheep at pasture *K. Jones, S. Howard & J.S. Wallace*

537 Inositol polyphosphate-mediated iron transport in *Pseudomonas aeruginosa P.H. Hirst, A.M. Riley, S.J. Mills, I.D. Spiers, D.R. Poyner, S. Freeman, B.V.L. Potter & A.W. Smith*

544 Response to high-pressure, low-temperature treatment in vegetables: determination of survival rates of microbial populations using flow cytometry and detection of peroxidase activity using confocal microscopy *G. Arroyo, P.D. Sanz & G. Préstamo*

Volume 86, Number 4, April 1999

557 A highly thermostable amylase from a newly isolated thermophilic *Bacillus* sp. WN11 *G. Mamo, B.A. Gashe & A. Gessesse*

561 Production of cutinase by *Thermomonospora fusca* ATCC 27730 *W.F. Fett, C. Wijey, R.A. Moreau & S.F Osman*

569 Serodiagnosis of infection with Verocytotoxin-producing *Escherichia coli C. Jenkins & H. Chart*

576 Adherence of *Listeria monocytogenes* strains to stainless steel coupons *D.E. Norwood & A. Gilmour*

583 Development of a Surface Adhesion Immunofluorescent Technique for the rapid detection of *Salmonella* spp. from meat and poultry *O.M. Cloak, G. Duffy, J.J. Sheridan, D.A. McDowell & I.S. Blair*

591 A simple and efficient PCR method for the detection of *Agrobacterium tumefaciens* in plant tumours *J. Cubero, M.C. Martínez, P. Llop & M.M. López*

603 The effect of a new sewage treatment plant on faecal indicator numbers, campylobacters and bathing water compliance in Morecambe Bay *K. Obiri-Danso & K. Jones*

615 Purification and characterization of a novel protein produced by *Bifidobacterium longum* SBT2928 that inhibits the binding of enterotoxigenic *Escherichia coli* Pb176 (CFA/II) to gangliotetraosylceramide *S. Fujiwara, H. Hashiba, T. Hirota & J.F. Forstner*

622 Dust-borne bacteria in animal sheds, schools and children's day care centres *A.M. Andersson, N. Weiss, F. Rainey & M.S. Salkinoja-Salonen*

635 WLIP, a lipodepsipeptide of *Pseudomonas 'reactans'*, as inhibitor of the symptoms of the brown blotch disease of *Agaricus bisporus C. Soler-Rivas, N. Arpin, J.M. Olivier & H.J. Wichers*

642 Response Surface Methodology, an approach to predict the effects of a lactoperoxidase system, Nisin, alone or in combination, on *Listeria monocytogenes* in skim milk *N. Boussouel, F. Mathieu, V. Benoit, M. Linder, A.-M. Revol-Junelles & J.-B. Millière*

653 Isolation and characterization of an intracellular esterase from *Lactobacillus casei* subsp. *casei* IFPL731 *I. Castillo, T. Requena, P. Fernández de Palencia, J. Fontecha & M. Gobbetti*

660 Updating the H-antigen classification of *Bacillus thuringiensis M.-M. Lecadet, E. Frachon, V. Cosmao Dumanoir, H. Ripouteau, S. Hamon, P. Laurent & I. Thiéry*

673 Environmental factors affecting the occurrence of mycobacteria in brook sediments *E. Iivanainen, P.J Martikainen, P. Väänänen & M.-L. Katila*

682 Partial characterization and plasmid linkage of a non-proteinaceous antimicrobial compound in a *Lactobacillus casei* strain of vegetable origin *G. Scolari, S. Torriani & M. Vescovo*

689 An investigation into the differences between the Bioscreen and the traditional plate count disinfectant test methods *R.J.W. Lambert & M.-L.H. van der Ouderaa*

695 Evaluation of sampling methods for the detection of *Salmonella* in broiler flocks *M.N. Skov, B. Carstensen, N. Tornoe & M. Madsen*

701 Rapid detection and diagnosis of *Septoria tritici* epidemics in wheat using a polymerase chain reaction/PicoGreen assay *B.A. Fraaije, D.J. Lovell, E.A. Rohel & D.W. Hollomon*

709 Absence of human astrovirus RNA in sewage and environmental samples *S.I. Egglestone, E.O. Caul, I.B. Vipond & J.M. Darville*

715 Mupirocin resistance in staphylococci: development and transfer of isoleucyl-tRNA synthetase-mediated resistance *in vitro D.G. Thomas, J.M. Wilson, M.J. Day & A.D. Russell*

723 Occurrence and levels of phages proposed as surrogate indicators of enteric viruses in different types of sludges *J. Lasobras, J. Dellunde, J. Jofre & F. Lucena*

Volume 86, Number 5, May 1999

731 A REVIEW The serodiagnosis of infections caused by verocytotoxin-producing *Escherichia coli H. Chart & C. Jenkins*

741 Characterization of plasmids that encode streptomycin-resistance in bacterial epiphytes of apple *T.-C. Huang & T.J. Burr*

752 Transcriptional analysis of the nitrile-degrading operon from *Rhodococcus* sp. ACV2 and high level production of recombinant amidase with an *Escherichia coli* – T7 expression system *F. Bigey, H. Chebrou, D. Fournand & A. Arnaud*

761 Use of pulsed field gel electrophoresis as an epidemiological tool for analysis of sporadic associated strains of *Salmonella typhi* isolated in Taiwan *H.-Y. Tsen, J.S. Lin, H.H. Hu, P.R. Liu & T.K. Wang*

769 Selective agars for the isolation of *Streptococcus iniae* from Japanese flounder, *Paralichthys olivaceus*, and its cultural environment *H.T. Nguyen & K. Kanai*

777 Microbial and chemical changes during the spontaneous ensilage of grape pomace *C.G. de Pina & T.A. Hogg*

785 Application of laser scanning for the rapid and automated detection of bacteria in water samples *D.T. Reynolds & C.R. Fricker*

796 Characterization by numerical taxonomy and ribotyping of *Vibrio splendidus* biovar I and *Vibrio scophthalmi* strains associated with turbot cultures *R. Farto, M. Montes, M.J. Pérez, T.P. Nieto, J.L. Larsen & K. Pedersen*

805 A mathematical model for toxin accumulation by killer yeasts based on the yeast population growth *J.M. Barandica, A. Santos, D. Marquina, F. López, F.J. Acosta & J.M. Peinado*

812 Stable expression of the *Lactobacillus casei* bacteriophage A2 repressor blocks phage propagation during milk fermentation *M.A. Alvarez, A. Rodríguez & J.E. Suárez*

817 Tolerance and biodegradation of *m*-toluate by Scots pine, a mycorrhizal fungus and fluorescent pseudomonads individually and under associative conditions *I. Sarand, S. Timonen, T. Koivula, R. Peltola, K. Haahtela, R. Sen & M. Romantschuk*

827 Disinfection of hospital waste sludge using hypochlorite and chlorine dioxide *T.-C. Tsan & S.-T. Lin*

834 A comparison of three bacterial phosphonoacetate hydrolases from different environmental sources *J.W. McGrath, A.N. Kulakova & J.P. Quinn*

841 Enumeration and characterization of bacteria in mineral water by improved direct viable count method *S. Guyard, P. Mary, C. Defives & J.P. Hornez*

851 Production of B-group vitamins by two *Rhizobium* strains in chemically defined media *S. Sierra, B. Rodelas, M.V. Martínez-Toledo, C. Pozo & J. González-López*

859 Adaptation of *Pseudomonas aeruginosa* ATCC 15442 to didecyldimethylammonium bromide induces changes in membrane fatty acid composition and in resistance of cells *L. Méchin, F. Dubois-Brissonnet, B. Heyd & J.Y. Leveau*

867 The effect of pH and culture system on the attachment of plasmid-bearing and plasmid-cured *Yersinia enterocolitica* to a polycarbonate membrane in a surface adhesion immunofluorescent technique *G. Duffy & J.J. Sheridan*

874 Comparative toxicity of four microcystins of different hydrophobicities to the protozoan, *Tetrahymena pyriformis C.J. Ward & G.A. Codd*

883 Chlorination and ozonation of waste-water: comparative analysis of efficacy through the effect on *Escherichia coli* membranes *I. Arana, P. Santorum, A. Muela & I. Barcina*

Volume 86, Number 6, June 1999

889 Effect of high salts concentrations on the growth of rhizobia and responses to added osmotica *H. Abdelmoumen, A. Filali-maltouf, M. Neyra, A. Bealabed & M. Missbah El Idrissi Mustapha*

899 Semi-quantitative characterization of electroporation assisted disinfection processes for inactivation of *Giardia* and *Cryptosporidium C.N. Haas & D. Aturaliye*

906 Viable heterotrophic bacteria in water and sediment in 'Mar Piccolo' of Taranto (Ionian Sea, Italy) *R.A. Cavallo, C. Rizzi, T. Vozza & L. Stabili*

917 The role of surface physicochemical properties in determining the distribution of the autochthonous microflora in mineral water bottles *C.R. Jones, M.R. Adams, P.A. Zhdan & A.H.L. Chamberlain*

928 Random and repetitive primer amplified polymorphic DNA analysis of *Bacillus sphaericus V. Miteva, S. Selenska-Pobell & V. Mitev*

937 Methods for DNA extraction from various soils: a comparison *C.C. Tien, C.C. Chao & W.L. Chao*

944 Effect of nutrient limitation on adhesion characteristics of *Pseudomonas aeruginosa B.A. Cowell, M.D.P. Willcox, B. Herbert & R.P. Schneider*

955 Evaluation of a portable differential continuous flow centrifuge for concentration of *Cryptosporidium* oocysts and *Giardia* cysts from water *U. Zuckerman, R. Armon, S. Tzipori & D. Gold*

962 Performance of open-fronted microbiological safety cabinets: the value of operator protection tests during routine servicing *R. Osborne, T. Durkin, H. Shannon, E. Dornan & C. Hughes*

971 Detection of *Shigella* spp. in food with a nested PCR method - sensitivity and performance compared with a coventional culture method *R. Lindqvist*

979 Ubiquity of *Bacillus thuringiensis* on phylloplanes of arboreous and herbaceous plants in Japan *E. Mizuki, T. Ichimatsu, S.-H. Hwang, Y.S. Park, H. Saitoh, K. Higuchi & M. Ohba*

985 Antimicrobial activity of essential oils and other plant extracts *K.A. Hammer, C.F. Carson & T.V. Riley*

991 NO_3^- nutrition and salt tolerance in the cyanobacterium *Anabaena* sp. PCC 7120 and mutant strains *A.K. Rai & S.P. Tiwari*

999 Low level chemiluminescence from liquid culture media *R. Vogel & R. Süssmuth*

1008 Biodegradation of gasoline: kinetics, mass balance and fate of individual hydrocarbons *F. Solano-Serena, R. Marchal, M. Ropars, J.-M. Lebeault & J.-P. Vandecasteele*

1017 Production of α-cyclodextrin glucosyltransferase by *Bacillus stearothermophilus* R2 strain isolated from a Bulgarian hot spring *L. Kabaivanova, E. Dobreva & V. Miteva*

1024 Evaluation of the effect of temperature and nutrients on the survival of *Campylobacter* spp. in water microcosms *C. Thomas, D.J. Hill & M. Mabey*

1033 Total counts, culturable and viable, and non-culturable microflora of a French mineral water: a case study *C. Defives, S. Guyard, M.M. Oularé, P. Mary & J.P. Hornez*

1039 *Ortho*-phthalaldehyde: a possible alternative to glutaraldehyde for high level disinfection *S.E. Walsh, J.-Y. Maillard & A.D. Russell*

1047 Relationship between lipid composition, frequency of ethanol-induced respiratory deficient mutants, and ethanol tolerance in *Saccharomyces cerevisiae Z. Chi & N. Arneborg*

1053 Purification and partial amino acid sequence of plantaricin 1.25α and 1.25β, two bacteriocins produced by *Lactobacillus plantarum* TMW1.25. *A. Remiger, V.G.H. Eijsink, M.A. Ehrmann, K. Sletten, I.F. Nes & R.F. Vogel*

1059 Index